

— Distinguished HOEBER Books—



✓ Babkin's SECRETORY MECHANISM OF THE DIGESTIVE GLANDS

New 2nd Edition! This classic guide has been thoroughly revised and brought up-to-date.

By B. L. Babkin, M.D., Research Professor of Physiology, McGill Univ. 1056 pp., 233 illus, \$20.00.

V Harris' BRUCELLOSIS

New 2nd Edition! The complete clinical guide to management of this protean disease.

By Harold J. Harris, M.D., F.A.C.P., 635 pp., 111 illus., 12 color plates, \$10.00.

√ Grace, Wolf and Wolff's THE HUMAN COLON

In Press! This unique study of four patients with exposed segments of colon, makes available new facts about colonic function.

By WILLIAM J. GRACE, M.D., STEWART WOLF, M.D., and HAROLD G. WOLFF, M.D., all at Cornell Univ. Medical College, New York Hospital. 256 pp., 112 illus., 31 in full color, \$7.50.

Order From Your Bookseller or On Approval

From the Publishers

PAUL B. HOEBER, INC.

MEDICAL BOOK DEPARTMENT OF HARPER & BROTHERS

49 EAST 33rd STREET, NEW YORK 16, N. Y.



in the male

ORETON supplies androgen to rehabilitate the climacteric or eunuchoid patient.

in the female

ORETON overcomes excessive estrogen activity, and controls functional uterine bleeding and dysmenorrhea. ORETON exerts a palliative effect in carcinoma of the breast.

in both sexes

ORETON exhibits a protein anabolic effect, builds tissue and enhances well-being of the aged patient.

ORETON

ORETON, Schering's brand of Testosterone Propionate U.S.P. in oil for intramuscular injection.

Schering corporation · bloomfield, new jersey



antibacterial action plus...

greater solubility Gantrisin is a sulfonamide so soluble that there is no danger of renal blocking and no need for alkalinization. higher blood level Gantrisin not only produces a higher blood level but also provides a wider antibacterial spectrum. economy Gantrisin is far more economical than antibiotics and triple sulfonamides. less sensitization Gantrisin is a single drug—not a mixture of several sulfonamides—so that there is less likelihood of sensitization. GANTRISIN®-brand of sulfisoxazale (3,4-dimethyl-5-sulfanilamido-isoxazole)

TABLETS . AMPULS . SYRUP

HOFFMANN-LA ROCHE INC.

Roche Park • Nutley 10 • New Jersey

"...the only drug we have seen that allays anxiety without clouding consciousness"

J.A.M.A. 140:672 (June 25) 1949



Tolserol (Squibb Mephenesin)

- to alleviate pronounced anxiety and tension
- as an adjunct in the treatment of chronic alcoholics

DOSAGE

In anxiety tension states:

As little as 0.5 Gm., given orally every few hours, has produced a good response. However, for optimum effect, 0.75 Gm. or more is given several times a day.


As an adjunct in the treatment of chronic alcoholics:

As much as 3 Gm. orally every four hours has been found useful in the acute stage. This dosage is reduced when the patient becomes more manageable. (If Tolserol is given too soon after the patient drank alcohol, the toxic effect of the alcohol may be potentiated. For this reason, Tolserol should not be administered until six hours have elapsed since the patient drank alcohol.)


Tablets, 0.5 Gm., 0.25 Gm.; Capsules, 0.25 Gm.; Elixir, 0.1 Gm. per cc.; Solution, 2% (intravenous).

Tolserol (Squibb Mephenesin)

SQUIBB 146 FIFTE AVENUE, NEW YORK 22, NEW YORK RANUFACTURING CREMISTS TO THE MEDICAL PROFESSION SINCE 1866



concentration of Terramycin in the urine following divided oral doses: 0.5 Gm. q 6 h.3



I. Schoenbach, E. B.; Bryer, M. S., and Long, P. H.: Ann. New York Acad. Sc. 53:245 (Sept. 15) 1950.

2. Welch, H.; Hendricks, F. D.; Price, C. W., and Randall, W. A.: J. A. Ph. A. (Sc. Ed.) 39:185 (Apr.) 1950.

3. Welch, H.: Ann. New York Acad. Sc. 53:253 (Sept. 15)


This newest of the broad-spectrum antibiotics is stable and active in the urine. High levels are rapidly achieved and easily maintained by oral administration. Within one-half hour after a single 2 Gm. dose, detectable amounts have appeared in the urine,1 and a single 0.5 Gm. dose has been shown to produce high concentrations lasting twenty-four hours.2 When multiple doses are given, continuous urinary concentrations of Terramycin in the range of 300-400 mcg./ml. are obtained, as shown in the accompanying chart.3

These observations are given added significance by the highly satisfactory clinical experience and the prompt response obtained with Terramycin in a wide range of infections of the urinary tract.

Supplied: 250 mg. capsules, bottles of 16 and 100; 100 mg. capsules, bottles of 25 and 100;

50 mg. capsules, bottles of 25 and 100.

Antibiotic Division Pfizer CHAS. PFIZER & CO., INC., Brooklyn 6, N. Y.



Prelude to asthma?

not necessarily...

Tedral, taken at first sign of attack, often forestalls severe symptoms.

in 15 minutes...Tedral brings symptomatic relief with a definite increase in vital capacity. Breathing becomes easier as Tedral relaxes smooth muscle, reduces tissue edema, provides inild sedation.

for 4 full hours...Tedral maintains more normal respiration for a sustained period—not just a momentary pause in the attack.


Prompt and prolonged relief with Tedral can be initiated any time, day or night, whenever needed without fear of incapacitating side effects.


Tedral provides:

theophylline 2 gr.
cphedrine 3% gr.
phenobarbital 1/8 gr.
in boxes of 24, 120 and 1000 tablets



CHILCOTT





NPH ILETIN (INSULIN, LILLY)

For many diabetics taking two or more daily injections of other Insulin preparations, one daily injection of NPH Insulin will often be adequate for purposes of control. This improvement is a long stride toward a more nearly normal life.

For physicians, this development eliminates some of the obstacles which earlier stood in the way of satisfactory adjustment of doses to the patient's needs.

NPH ILETIN (INSULIN, LILLY)

Detailed information and literature concerning NPH Iletin (Insulin, Lilly) are personally supplied by your Lilly medical service representative or may be obtained by writing to




ELI LILLY AND COMPANY . INDIANAPOLIS 6, INDIANA, U.S.A.



Before Banthine



At 23 Days



At 118 Days

Banthine*

Brand of Methantheline Bromide

—the neurogenic approach to peptic ulcer therapy—is a true anticholinergic agent.

Through its inhibitory action on the nervous mechanism, Banthīne reduces the vagotonia characteristic of peptic ulcer patients—the result is a consistent decrease in hypermotility and, in most instances, hyperacidity.

SUGGESTED DOSAGE:

One or two tablets (50 or 100 mg.) every six hours.


Banthine is the trademark of G. D. Searle & Co., Chicago 80, Illinois.

RESEARCH IN THE SERVICE OF MEDICINE SEARLE

Announcing: | SOLUTION | of Crystalline

Dihydrostreptomycin

Sulfate Merck



This potent antituberculosis agent—preferred because it minimizes neurotoxic effects, and pain and swelling at the site of injectionnow is supplied in "ready-to-use" form. SOLUTION OF CRYSTALLINE DIHYDROSTREP-TOMYCIN SULFATE MERCK brings these significant advantages:

- No Refrigeration Required
- Time-saving Economy
- All-round Convenience
- Clear, Colorless Solution
- High Crystalline Purity

AVAILABLE IN:

- 1 Gram (2 cc.) vials-500 mg. per cc.
- 5 Gram (10 cc.) vials-500 mg. per cc.

PARA-AMINOSALICYLIC ACID (PAS), when used in combination with Solution of Crystalline Dihydrostreptomycin Sulfate Merck, prolongs the effective period of chemotherapy by inhibiting or delaying the development of bacterial resistance; has proved effective also as the sole chemotherapeutic agent in selected cases of tuberculosis.

MERCK ANTITUBERCULOSIS AGENTS

SOLUTION OF CRYSTALLINE DIHYDROSTREPTOMYCIN SULFATE MERCK

PARA-AMINOSALICYLIC ACID MERCK (PAS)


CRYSTALLINE DIHYDROSTREPTOMYCIN SULFATE MERCK



MERCK & CO., Inc.

Manufacturing Chemists

RAHWAY. NEW JERSEY



The new Cambridge Cardioscope provides continuous observation of the Electrocardiogram and heart-rate during surgery. This instrument incorporates the suggestions and ideas of prominent anesthesiologists, cardiologists and surgeons familiar with the requirements. The instrument is explosion-proof and may be used in the operating room without hazard. It provides valuable information heretofore not available in a single instrument.

Electrocardiographic leads are connected to the patient in the usual manner. A cathoderay tube with a long persistence screen continuously indicates any desired lead of the Electrocardiogram. An indicator shows the instantaneous heart rate. An insistent warning signal (operating at any pre-determined heart rate) calls attention of the anesthesiologist and surgeon to the condition of approaching cardiac standstill. By merely turning a knob on the instrument, any portion of any lead of the Electrocardiogram is re-

corded upon an Electrocardiograph, usually located outside the operating room. A sweep-second timer is also provided to check pulse and respiration rates and to assist in setting the speed at which the Electrocardiogram is being indicated. The Indicator is maintained at any desired height by simple operation of the foot pedal mounted on the base.

Send for Descriptive Literature


CAMBRIDGE INSTRUMENT CO., INC. 3744 Grand Central Terminal, New York 17, N.Y.

Chicago 12, 2400 West Madison Street Philadelphia 4, 135 South 36th Street Cleveland 15, 1/20 Euclid Avenue

PIONEER MANUFACTURERS OF THE ELECTROCARDIOGRAPH

CAMBRIDGE ELECTROCARDIOGRAPHS

During the critical first 4 days depend on



"TIMED-ABSORPTION" CATGUT


Because "timed-absorption" catgut (surgical gut) has a measurable and predictable rate of digestion, demonstrated by extensive tests, it remains intact until the wound has gathered support of its own. Because "timed-absorption" catgut does not digest prematurely, it assures strength when needed most—during the critical first 4 days following major surgery.

Processed by an exclusive Davis & Geck method embodying accurately graded degrees of tanning, "timed-absorption" catgut has an absorption curve that parallels the changing tissue conditions of healing. Resistance to digestion is maximal during *early* repair. Later, when artificial strength is no longer required, dissolution is rapid and complete and no remnants of gut remain.

4

Comparison of D & G "timed-absorption" medium chromic catgut, size 0, with ordinary medium chromic size 0 catgut. Both types of catgut are suspended in a trypsin solution and weighted. Note that at the end of 30 hours D & G "timed-absorption" catgut remains intact; the weight is still held suspended up to 90 hours. Contrast with an ordinary chromic catgut suture which has begun to digest and breaks under the slight tension created by the weight at 30 hours. In human tissue all chromic sutures are digested more slowly, but the ratio between the two types remains the same.

D&G catgut sutures have a special matte finish. They tie readily and do not slip at the knot. Pliability is exceptional and tensile strength, diameter for diameter, is guaranteed unexcelled by any other brand. No wonder so many surgeons agree on D&G.



There is a D & G suture for every surgical purpose. Available through responsible dealers everywhere.



₹®

57 WILLOUGHBY ST., BROOKLYN 1, N. Y.



the measure of a good hemorrhoidal suppository.

ANUSOL* HEMORRHOIDAL SUPPOSITORIES



Preferred and Prescribed by Physicians for more than half a Century.

ANUSOL* HEMORRHOIDAL SUPPOSITORIES

promptly and effectively relieve

the pain and discomfort of the common

anorectal disorders.



do not contain narcotic or analgesic

drugs which may mask more serious
anorectal disorders.

For best results one ANUSOL*
in the morning and at bedtime and
immediately following each evacuation.

ANTUSOL*
HEMORRHOIDAL SUPPOSITORIES, individually
foil wrapped, are available in boxes of 6, 12 and 48.

WILLIAM R. WARNER


Division of Warner-Hudnut, Inc.

NEW YORK

LOS ANGELES

ST. LOUIS





every field of surgery.

For clinical convenience, Gelfoam is supplied as a sterile sponge, pack and cone.

*Trademark, Reg. U.S. Pat. Off.

Upjohn

Medicine..


Produced with care... Designed for health

THE UPJOHN COMPANY, KALAMAZOO BY, HICHIGAN

Mead Johnson & Company presents

An achievement in pharmaceutical elegance

MULCIN



 $oldsymbol{A}$ refreshing orange flavor, neither too

markable smoothness make Mulcin a vitamin supplement pleasing to patients.

It is light and non-sticky, and flows

sweet nor too sour, and a texture of re-


It is light and non-sticky, and flows readily from bottle to spoon.


Children, adolescents and adults enjoy taking Mulcin directly from the spoon. For infants, the dose may be mixed with formula, fruit juice or water.

Ingredients of quality, skilled formulation and meticulous manufacturing controls are combined to make Mulcin a product of pharmaceutical elegance and a distinguished new member of Mead's vitamin family.



MEAD JOHNSON & CO. EVANSVILLE 21, IND., U.S.A.





CARBRITAL brings calm repose and restful sleep to tense and sleepless patients. Combining rapid hypnotic effect with gentle prolonged sedation, residual depression or "hang-over" is unlikely following its administration. For insomnia, nervous tension, preoperative and obstetrical sedation, CARBRITAL Kapseals® and Elixir facilitate individualized medication.

CARBRITAL

Carbromal 4 grains
Also available as CARBRITAL Kapseals (half-strength) each containing $\mbox{\em \%}$ grain Pentobarbital and 2 grains Carbromal.
EACH FLUID OUNCE OF CARBRITAL ELIXIR CONTAINS Pentobarbital Sodium 2 grains Carbromal 6 grains

Pentobarbital Sodium 1½ grains

EACH CARBRITAL KAPSEAL CONTAINS

Dosage: Adults—1 or more Kapseals as required; 1 to 4 teaspoonfuls or more of the Elixir as required. (Each teaspoonful of CARBRITAL Elixir contains % grain Pentobarbital Sodium and % grain Carbromal.) Children—% to 1 teaspoonful according to age and condition.

CARBRITAL Kapseals and CARBRITAL Kapseals (Half-strength) are available in bottles of 100 and 1000; CARBRITAL Elixir in 16-ounce bottles.

PARKE, DAVIS & COMPANY



Effective against many bacterial and rickettsial infections, as well as certain protozoal and large viral diseases.

AUREOMYCIN

Hydrochloride Crystalline



The Internist today is less concerned than in former years over cases of pneumonia. Once highly fatal, this disease has been all but conquered by modern chemotherapy. For many pneumonias—bacterial, rickettsial or viral—aureomycin is often a preferred drug.

Packages

Capsules: Bottles of 25 and 100, 50 mg. each capsule. Bottles of 16 and 100, 250 mg. each capsule. Ophthalmic: Vials of 25 mg. with dropper; solution prepared by adding 5 cc. of distilled water.

LEDERLE LABORATORIES DIVISION

AMERICAN Cyanamid company
30 Rockefeller Plaza, New York 20, N. Y.



EFFECTIVE

in Coronary Artery Disease and Edema of Cardiovascular or Renal Origin*

DEFINITELY PROVEN

Clinical experience and carefully controlled objective studies in humans have definitely proven the value of Theobromine Sodium Acetate in treating Angina Pectoris and Edema of Cardiovascular or Renal origin.

Recommended Dosages THESODATE dosage advised in:

ANGINA PECTORIS—71/2 grains q.i.d., before meals and before retiring. A capsule upon arising if necessary.

HYPERTENSION—Similar.

Control or prevention of EDEMA OF CARDIOVASCULAR OR RENAL ORIGIN—Similar.

SEVERE EDEMA—15 grains q.i.d., before meals and before retiring.

S u p p l i e d THESODATE supplied in bottles of 100;500:

7½ grain enteric-coated tablets with or without ½ gr. phenobarbital, 3¾ grain enteric-coated tablets with or without ¼ grain phenobarbital. 5 grain enteric-coated tablets with 2 grains potassium iodide and ¼ grain phenobarbital.

Capsules (not enteric-coated) available in same potencies for supplementary medication.

For samples—just send your Rx blank marked NYAM-4.

BREWER & COMPANY, Inc.

Pharmaceutical Chemists Since 1852 · WORCESTER, MASS

Herald Square, N. Y.

Parkchester, Bronx

R

Jamaica, Queens

Flatbush, Brooklyn

White Plains, N. Y

MACY'S PRESCRIPTION DEPARTMENT

Macy's cooperates with the medical profession to control the indiscriminate use of dangerous drugs. If a patient wishes to refill a prescription containing any drug which may be harmful if used without supervision, the physician is immediately notified. And with the physician's approval, the prescription is accurately compounded, carefully checked.

No wonder so many physicians prefer Macy's Prescription Department.



SEDATIVE - ANTISPASMODIC

Valoctin tablets 5 grains, each containing 1 gr. Octin mucate and 4 grs. Bromural. DOSE: 1 or 2 tablets at onset of distress. Another tablet after 4 hours if necessary.

tension and migraine headaches - - spastic dysmenorrhea - - spasms of gastro-intestinal and genito-urinary tracts, with accompanying nervousness.


VALOCTIN® E. Bilhuber, Inc.

"This rapid healing,
without exception, of the
most exceriated buttocks,
in so brief a time," 1

indicates that Desitin, the modified cod liver oil ointment, is particularly suitable for infantile intertrigo. Well established is the protective, soothing, healing influence of...



OINTMENT




Desitin Ointment is a stairritant blend of crude co (with unsaturated fatty a vitamins A and D in prog maximum efficacy), zine talcum, petrolatum and Tubes of 1 oz., 2 oz., 4 and 1 lb. jars.

Send for SAMPLES and new clinical reprint

Desitin CHEMICAL 70 Ship Street, Provi

 Behrman, H. T., Combes, F. C., Bobroff, A., and Leviticus, R.: Industrial Med. & Surg. 18:512, 1949.





"You will remember QUALITY long after you have forgotten the PRICE!"

Fingers...

Tingers will grow
—the tiny infants into the sensitive but firm fingers of the surgeon, maintaining that "baby's
touch" to help make a truly
great surgeon.

Instruments, too must grow with the progress of surgery—grow in quality and function—but to be truly great, must also accentuate that "baby's touch." Here you will find just such instru-

ments—made by the greatest names in surgical manufacture and proven over the years in actual practice. Why buy anything but the BEST?

COCHRANE

PHYSICIANS' SUPPLIES, I

133 EAST SBIR STREET NEW YORK 22 N.Y PHONE—PLaza 3-5533, 3-5534, 3-5491

James F. Best, Pres.

HE PHYSICIANS' HOME has a distinct, unique and attainable goal, i.e., to perpetuate the provision for personal beneficiary aid to aged, retired colleagues, or their widows; tide them over crises and safeguard their future.

WILL YOU HELP INSURE THE CONTINUANCE OF THIS WORK?

Make checks payable to:

PHYSICIANS' HOME

52 EAST 66th STREET, NEW YORK 21, NEW YORK

Vlo activity pause at her menopause



Your patient may continue her normal activities even to the extent of keeping pace with her daughter. She will be greatly encouraged, especially when the effectiveness of therapy measures up to expectations. In estrogen therapy an especially useful product is:

BENZESTROL

2,4 (p-hydroxyphenyl) -3-ethyl hexane

"Liver function tests, blood studies and urine examinations showed no toxic effects of the synthetic substance BENZESTROL"*

Supplied:

Oral: Bensestrol Tablets 0.5 Mg., 1.0 Mg., 100's & 1000's, 2 Mg., 5 Mg. — 50's — 100's — 1000's,

Benzestrol Elixir: 15 Mg. per fluid ounce, Pint Bottles.

Intramuscular: Benzestrol Solution in Oil; Aqueous Suspension with 5% Benzyl Alcohol 5.0 Mg. per cc. 10cc Vials.

Local: Bensestrol Vaginal Tablets 0.5 Mg, 100's.


AVERAGE DOSE: Menopause — 2 to 3 Mg. daily orally or ½ to 1cc parenterally every 5 days.

Professional Samples and Literature upon Request

NOTE:

Frequently, medication other than estrogens may be required during the menopause. Pleasant tasting Elixir Benzestrol is compatible with many substances.

•Reference: MacBryde, C. M., et. al., A New Synthetic) Entransa, I.A.M.A., 123: 261: 264-(10-2) 43.






"Your Nurses"

KNOW WHY and HOW . . .

Theoretically, some 150,000 active nurses might be considered as "your staff." In effect—however, when you send patients to us, we are "employed" by you and as "your nurses" responsible for treating them as patients and not merely as customers. Knowing WHY and HOW professionally is an advantage we have over others serving your patient.

CAMP ANATOMICAL SUPPORTS-KENDRICK and BAUER & BLACK ELASTIC HOSIERY



tablets ampuls powder suppositories

high theophylline content, ready solubility for rapid therapeutic effects in:

Bronchial Asthma
Paroxysmal Dyspnea
Cheyne-Stokes Respiration

dubin aminophyllin



(theophylline-ethylenediamine)

H. E. DUBIN LABORATORIES, Inc. 250 E. 43rd St., New York 17, N.Y.

POST CARDS

NEW YORK ACADEMY OF MEDICINE

VIEWS of the Academy building, exterior and interior, have recently been put on postcards. Besides an over-all representation of the 103rd Street facade, the pictures show the main entrance, the reading-rooms, the Rare Book Room, and details of the interior architecture. The building, an unusaully fine example of Renaissance ideas, was erected in 1926. The postcards are available from the Academy Library, 2 East 103 Street, New York 29, at five cents each, or thirty cents for a set of nine cards.



These are the results you may expect with **ESKEL** in ANGINA PECTORIS

Armbrust, C. A., Jr., and Levine, S. A.:
Am.J.M.Sc. 220:127

"About 60% of the cases showed improvement; i.e., used fewer nitroglycerin tablets, had fewer and milder attacks of pain and could walk greater distances."

Rosenman, R. H., et al.: J.A.M.A. 143:160

"Of 14 patients with angina pectoris treated with [Eskel] . . . a good response was obtained in 11, moderate improvement in 1 and no effect in 2."

Osher, H. L., and Katz, K. H.: Boston M. Quart. 1:11 "[Eskel] therapy produced definite subjective and objective improvement in 84% of 19 patients with angina pectoris."



ESKEL

the new longer-acting coronary vasodilator for the prophylaxis and treatment of ANGINA PECTORIS

'Eskel' T.M. Reg. U.S. Pat. Off.

Each 'Eskel' tablet contains a natural blend of active principles, chiefly khellin, extracted from the plant Ammi visnaga, equivalent to 40 mg. of crystalline khellin.

Smith, Kline & French Laboratories, Philadelphia

SHOE ALTERATIONS

FROM OUR PRESCRIPTION FILES...

When proper shoes, with or without alterations, are indicated you can recommend Pediformes with confidence.

MANHATTAN 34 WEST 36th STREET BROOKIYN 288 LIVINGSTON STREET FLATBUSH 842 FLATBUSH AVENUE EAST ORANGE — HACKENSACK — NEW ROCHELLE —

- HEMPSTEAD







KILLS THE CAUSE OF

Two potent, clinically proven fungicides incorporated in alcohol, combine to eliminate the cause of tines pedis, quickly clearing the condition in a simple, effective manner.

A preliminary foot-soak in DOMEBORO solution for acute stage . . then, application of Quatrasal to affected areas, as directed. Supplied in 1¼ oz. applicator-stoppered bottles . . . at all drug stores.



Triday Afternoon Lectures

Twenty-Fifth Series-1950-1951-At 4:30 o'clock

THE NEW YORK ACADEMY OF MEDICINE 2 East 103 Street • New York 29, N. Y. All lectures are open to the medical profession and to medical students

APRIL 6, 1951

AN EVALUATION OF THE USE OF ANTICOAGULANTS IN MEDICAL PRAC-TICE

IRVING S. WRIGHT, Professor of Clinical Medicine, Cornell University Medical College; Attending Physician, The New York Hospital

APRIL 13, 1951

EFFECTS OF FRONTAL-LOBE INTER-FERENCE IN ANIMALS AND MAN NOLAN D. C. LEWIS, Director, New York State Psychiatric Institute

APRIL 20, 1951

RELATION BETWEEN SERUM LIPIDS AND ARTERIOSCLEROSIS

FORREST E. KENDALL, Associate Professor of Biochemistry, College of Physicians and Surgeons, Columbia University; Research Associate, Goldwater Memorial Hospital

APRIL 27, 1951 THE ETIOLOGY, RECOGNITION AND MANAGEMENT OF ANGINAL HEART FAILURE

H. M. MARVIN, Associate Clinical Professor of Medicine, Yale University School of Medicine



Specialists in Plastic and Glass **Artificial Human Eyes Exclusively**

REFERRED CASES CAREFULLY ATTENDED

FRIED & KOHLER, Inc.

665 FIFTH AVENUE near 53rd Street

NEW YORK, N. Y. Tel. ELdorado 5-1970 The "estrogen preferred by us is 'Premarin,' a mixture of conjugated estrogens, the principal one of which is estrone sulfate."

Hamblen, E. C.: North Carolina M. J. 7:533 (Oct.) 1946.

Four potencies of "Premarin" permit flexibility of dosage: 2.5 mg., 1.25 mg., 0.625 mg. and 0.3 mg. tablets; also in liquid form, 0.625 mg. in each 4 cc. (1 teaspoonful).

"PREMARIN"

In treating the menopausal syndrome with "Premarin," Perloff* reports that "Ninety-five and eight-tenths per cent of patients treated with 3.75 mg. or less daily obtained complete relief of symptoms"; also, "General tonic effects were noteworthy and the greatest percentage of patients who expressed clear-cut preferences for any drug designated 'Premarin'."

Thus, the sense of "well-being" usually imparted represents a "plus" in "Premarin" therapy which not only gratifies the patient but is conducive to a highly satisfactory patient-doctor relationship.

*Perloff, W. H.: Am. J. Obst. & Gynec. 58: 684 (Oct.) 1949,

"Premarin" contains estrone sulfate plus the sulfates of equilin, equilenin, β -estradiol, and β -dihydroequilenin. Other α - and β -estrogenic "diols" are also present in varying amounts as water-soluble conjugates.

Estrogenic Substances (water-soluble) also known as Conjugated Estrogens (equine)



Ayerst, McKenna & Harrison Limited 22 East 40th Street, New York 16, N. Y. 5003 R



50% OF THE AVERAGE WOMAN'S MONTH MAY CONSIST OF DAYS WHEN SHE IS NOT AT HER BEST!

INCREASE THE

MENSALIN has also been successfully used in preventing motion sickness.

PREMENSTRUAL TENSION, characterized by a varying degree of physical and/or mental incapacity 1.2.. 10 to 14 days

MENSTRUATION, with its usual attendant discomfort

.....5 days

Total 15 to 19 days

GOOD DAYS WITH MENSALIN, a new chemical combination which provides effective, safe relief of premenstrual symptoms such as nervous tension, breast tenderness. abdominal distention, low-back pain, and headache, in a majority of patients. MENSALIN is believed to act by combating edema, the probable cause of premenstrual molimina.1

> SUPPLIED: Bottles of 30 and 100 tablets, each containing 50 mg. of pyranisamine bromotheophyllinate.

> 1. Hamblen, E. C.: Endocrinology of Woman. Springfield, Ill., Charles C Thomas, 1945; p. 468. 2. Gillman, J.: J. Clin. Endocrinol. 2: 157 (1942).

*Trademark of Walker Vitamin Products .Inc.

Walker VITAMIN PRODUCTS, INC. • MOUNT VERNON, N. Y.

SAIRATOGA SPA



has added to its bathing and drinking cures the utilization of its natural mineral waters in the form of nebulized vapor—administered for the alleviation of certain respiratory diseases of allergic or other nature.

For literature write
WALTER S. McCLELLAN, M.D., Medical Director
610 Saratoga Springs
New York

THE STATE OF NEW YORK . . . THE SARATOGA SPA

CHARLES B. TOWNS HOSPITAL Established 19

FOR THE TREATMENT OF ALCOHOLISM

NARCOTIC AND BARBITURATE

ADDICTIONS EXCLUSIVELY


Complete Medical & Psychiatric Treatment at predetermined cest. Privacy of patient is assured—if desired.

Literature on Request

Wm. D. Silkworth, Medical Director
Edward B. Towns, Director

293 Central Park West, N. Y. 24, N. Y. SChuyler 4-0770

Member American Hospital Association



MAGER & GOUGELMAN, INC.

A CENTURY OF SERVICE 1851-1951

PLASTIC AND GLASS EYES



- PRIVATE FITTINGS
- PERSONAL ATTENTION
- EXPERIENCE & SKILL

510 Madison Ave., N. Y. 22 Telephone Plaza 5-3756

guarding against megaloblastic anemia

Inadequate vitamin C in infant feeding often leads not only to scurvy but also to megaloblastic anemia. Bremil guards against these grave nutritional complications by providing three times the recommended daily allowance for vitamin C in the reliquefied quart.

Appreciation of the importance of infantile megaloblastic anemia begins with the classic description of the syndrome by Zuelzer and Ogden.³ May, et al., observe that megaloblastic anemia "has been reported frequently as a complication of scurvy." They also report: "When vitamin C was provided adequately, the diets tested did not lead to megaloblastic anemia."

Failure to give the required vitamin C when prescribed often explains the inadequacy in vitamin C intake. Bremil provides more than ample ascorbic acid. And, of course, Bremil meets similar requirements for vitamins A, B, and D, riboflavin and niacin.

moreover...adequate provision of vitamin C is not the only attribute that makes BREMIL new and unique

BREMIL is a completely modified milk in which the calcium-phosphorus ratio (1½:1) is adjusted to the pattern of human milk, thus helping to prevent hypertonicity, hyperirritability and other tetanic symptoms in infants.^{4,5} BREMIL has the fatty acid and amino acid patterns of human milk...the same carbohydrate (lactose)...more iron...a soft, flocculent curd of small particle size comparable to human milk... complete solubility.

Bremil can be mixed for a single feeding or a 24-hour period. Formula prepara tion is as rapid as with a liquid product. Moreover, Bremil does not settle out on standing. Standard dilution is 1 level tablespoonful and 2 fl. oz. water, although Bremil can be either concentrated or diluted. Each level tablespoonful Bremil powder supplies 44 calories.

Complete information and a trial supply may be obtained upon request.

BREMIL is available in drugstores in 1 lb. cans.



The Borden Company 350 Madison Avenue, New York 17

Prescription Products Division



A helpful fact about Beer in the Convalescent diet

To the physician wishing to prescribe beer in the convalescent diet, it is helpful to know that all beers are not alike. Because "malted barley is rich in an enzyme which digests starch in the production of maltose,"* it is obvious that an all-Malt beer is especially suitable for this purpose.

Trommer's White Label is one of the few beers of this type produced in this country. It is brewed the traditional old-world way—solely of selected hops and fine barley-malt, but no other grain!

This fine premium beer is welcome to the patient because of its pleasant lightness and appealing flavor . . . direct results of this costlier brewing method.

*From "Accepted Foods and Their Nutritional Significance," by the Council on Foods of the American Medical Association.

0

TROMMER'S

White Label Premium BEER

JOHN F. TROMMER, INC., BROOKLYN, N. Y. and ORANGE, N. J.

Brewed Solely of Malt and Hops





Medical Men Can Recognize...

The Superior Quality of

Walker-Gordon Certified Milks

They are particularly applicable to special dietary requirements

Certified Raw or Pasteurized Whole Milk . . . a natural milk, raw or pasteurized, with long-keeping qualities, excellent for growing children.

Certified Vitamin D Homogenized-Pasteurized Milk...contains a minimum of 400 U.S.P. units of Vitamin D per quart. For babies and growing children. Low curd tension and easily digested.

Certified Low Fat (Skimmed) Milk... contains all the minerals and water soluble vitamins of whole milk but has fats removed... recommended for weight control and weight reduction programs.

Walker-Gordon Acidophilus...a lactobacillus acidophilus cultured milk (not less than 500,000,000 viable L. acidophilus organisms per milliliter)... used for treating constipation, diarrhea, vomiting, etc.

Walker-Gordon Protein Milk ... lactic acid milk with added amount of curd ... used successfully for cases of celiac disease, diarrhea, and feeding premature infants.

Walker-Gordon Lactic Milk...made with pure cultures of streptococcus lacticus and lactobacillus bulgaricus...physicians have found it useful for infant feeding formulas and for older people with digestive disturbances.

The Medical Profession Can Safely Recommend Walker-Gordon Certified Milks. Delivered fresh within one day of milking by leading dairy distributors in New York, New Jersey and Pennsylvania.

FREE! Descriptive book, "Technical Control and Supervision of Certified Milk," sent without obligation on request.

Walker-Gordon Laboratory Company Plainsboro, N. J. Phone Plainsboro 2750

Certified by the Medical Milk Commissions of the Counties of New York, Kings, Hudson, and Philadelphia





Some Peptic Ulcer Patients Do Better on Phosphaljel

Clinical experience confirms that certain types of difficultto-manage ulcer show a more striking and lasting response to Phosphaljel therapy than to other types of medication. Palatable Phosphaljel is the peptic ulcer medication of choice in the following conditions:

- Marginal or jejunal ulcer following gastrojejunostomy.¹
- Ulcer complicated by deficiency of pancreatic secretion or by diarrhea.1,2,3
- Prophylactically, after peptic ulcer surgery, and during seasonal recurrence.3


PHOSPHALJEL quickly relieves pain and promotes healing. Excellent for oral therapy, and for intragastric drip therapy.



- Fauley, G. B., Freeman, S., Ivy, A. C., Atkinson, A. J., and Wigodsky, H. S.: Arch. Int. Med. 67:653, 1941.
 Upham, R., and Chaikin, N. W.: Rev. Gastroenterol. 10:287, 1943.
 Collins, E. N.: J.A.M.A. 127:890, 1945.

ALUMINUM PHOSPHATE GEL WYETH

Wyeth incorporated, philadelphia 2, pa.



Psychoneurotics of Genius

Psychoneurotic traits — unbalanced emotional reactions, moods, ill temper and irresponsibility — are not uncommon among men of genius. Richard Wagner, great dramatic composer, had the emotional stability of a six-year-old throughout his adult life.


In many instances mild sedation has to be provided before a person of psychoneurotic make-up can achieve emotional stability. Mebaral combines a high degree of sedative effectiveness with a relative freedom from side effects such as languor and drowsiness. Patients usually become calmer, more cheerful and better adjusted to their surroundings without clouding of mental faculties. Average sedative dose: Adults, 32 mg. to 0.1 Gm. (½ to 1½ grains) three or four times daily. Children, 16 to 32 mg. (¼ to ½ grain) three or four times daily. Tablets ½, 1½ and 3 grains.

MEBARAL*

Brand of Mephobarbital

Tasteless SEDATIVE AND ANTIEPILEPTIC
Little or No Drowsiness

WINTHROP-STEARNS INC. . NEW YORK 18, N. Y. . WINDSOR, ONT.



The patient hands the pharmacist a slip of paper. In return, he gets a package of . . . confidence!

The patient knows nothing about it, but he expects his medicine to work. Why?

Because he believes in the doctor who wrote the prescription. He believes in the pharmacist who filled it. And he knows the pharmacist believes in his suppliers—has confidence that the chemicals and drugs on his shelves are pure and dependable.

In the matter of prescription chemicals and medical products, Mallinckrodt has been building confidence for 84 years. Thousands of pharmacists, doctors and hospital supervisors know the dependability of Mallinckrodt's products and service.

To Mallinckrodt, every order is an additional reminder of its responsibility in this chain of confidence.


MALLINCKRODT CHEMICAL WORKS . St. Louis . New York . Montreal



UROKON • HIPPURAN • ETHER FOR ANESTHESIA • PRECIPITATED BARIUM SULFATE • SODA LIME •

OVER 1500 PRESCRIPTION CHEMICALS

HEPATIC DYSFUNCTION



STOP THIS ALARMINGLY FREQUENT PROGRESSION WITH

METHEPONEX / COMPLETE LIPOTROPIC THERAPY

Atherosclerosis is responsible for over 40 percent of the threequarters of a million deaths in the United States each year from cardiovascular diseases.

Leonard A. Scheele, Surgeon-General of the
 U. S. Public Health Service; Sept. 13, 1950.

Lipotropic therapy in 115 patients with proved coronary occlusion and myocardial infarction, over a period of one to three years, led to a significant reduction in mortality as compared with an untreated control group of 115 patients with the same diagnosis.

-Morrison, L. M. and Gonzales, W. F.: Am. Heart J., 38:471 (Sept. 1949).


For the prevention and treatment of hypercholesterolemia and its resultant atherosclerosis, the Rawl Chemical Company presents METHEPONEX CAPSULES, the first and only complete lipotropic preparation containing whole liver and all the factors of the vitamin B complex.

Literature and Samples on request


RAWL CHEMICAL COMPANY

THE PIONEERS IN WHOLE LIVER VITAMIN THERAPY

NEW high dosage
liquid concentrate for
greater convenience
and flexibility in therapy







the only broad-spectrum antibiotic available in drop-dose potency

provides: 200 mg. of Crystalline Terramycin Hydrochloride per cc.; approximately 50 mg. in each 9 drops.

plus appeal of attractive cherry color and pleasing cherry-mint flavor.

readily miscible with most foods, milk and fruit juices



affords ease and simplicity of administration and permits a further simplification of dosage schedules in mild and severe infections, and with patients of all age and weight levels.

Available at prescription pharmacies in 10 cc. bottles with specially calibrated dropper.

Antibiotic Division



CHAS. PFIZER & CO., INC., Brooklyn 6, N.Y.